IN THE HIGH COURT OF JUDICATURE OF ANDHRA PRADESH
AT HYDERABAD

FRIDAY, THE TWENTY SEVENTH DAY OF FEBRUARY
TWO THOUSAND AND FOUR
:PRESENT:
THE HON'BLE MR.JUSTICE: C.V.RAMULU
W.P.M.P NO: 4820 of 2004
IN
W.P.NO: 3664 of 2004

Between:

B.Nathaniel, s/o Mallaiah,

..... PETITIONER
(Petitioner in WP.No : 3664 of 2004
on the file of High Court)

AND

1 The Govt., of A.P., School Education, (PS) Dept.,
rep., by its Principal Secretary, Secretariat, Hyderabad.
2 The Regional Joint Director of School Education, Warangal.
3 The District Educational Officer, Warangal.
4 The Correspondent, Preston Institute (ABM High School),
Jangaon, Warangal District.

.....RESPONDENTS

(Respondents in -do-)

Counsel for the Petitioner :MR.KOWTURU VINAYA KUMAR

Counsel for the Respondents : GP FOR EDUCATION

Petition under Section 151 of CPC praying the High Court to direct the respondents to continue the services of the petitioner as School Assistant as usual pending WP.NO.3664 of 2004 on the file of the High Court.

The Court while directing issue of notice to the Respondents herein to show cause as to why this application should not be compiled with, made the following order.(The receipt of this order will be deemed to be the receipt of notice in the case).

ORDER
Interim direction. Notice.

ASSISTANT REGISTRAR

// TRUE COPY //

for ASSISTANT REGISTRAR

To

1 The Principal Secretary A.P., School Education, (PS) Dept.,
Secretariat, Hyderabad.
2 The Regional Joint Director of School Education, Warangal.
3 The District Educational Officer, Warangal.
4 The Correspondent, Preston Institute (ABM High School),
Jangaon, Warangal District.(1 TO 4 BY RPAD).
5 Two CC's to GP for Education, High court of A.P,Hyderabad(OUT).

6 One spare copy.

a.k

DRAFTED BY A.K

DRAFTED ON 28-02-2004

HIGH COURT

CVRJ

DT:27-02-2004

ORDER

WPMP NO 4820 OF 2004

IN

WP NO 3664 OF 2004

INTERIM DIRECTION

& NOTICE

DRAFTED BY A.K

DRAFTED ON 28-02-2004

HIGH COURT

CVRJ

DT:27-02-2004

ORDER

WPMP NO 4820 OF 2004

IN

WP NO 3664 OF 2004

INTERIM DIRECTION

& NOTICE